

WATERSAVR O&G™

AUTOMATIC DISPENSER OVERVIEW



SUGAR LAND, TX

WWW.RESENTECH-LLC.COM

INFO@RESENTECH-LLC.COM

AUTOMATIC DISPENSER SPECIFICATIONS

Dispenses product every 3-days for 1-month

Capable of acquiring water/environmental data

Holds up to 70-lbs of WaterSavr O&G™ pouches

- Enough to treat up to 7-acres of water for 1-month

Powered by a rechargeable Li-ion battery coupled to a solar panel

Dimensions: 4-ft x 4-ft

Weight: 175-lbs



FUNCTIONALITY

Central control
box sequentially
releases
chambers

Each chamber
holds up to 5-lbs
of WaterSavr
O&G™




DATA ACQUISITION CAPABILITIES

Able to be equipped with sensors to track the following:


- Water depth (0.1" resolution)
- Water temperature
- Air temperature
- Relative humidity
- Oxidation-Reduction Potential (ORP)
- Conductivity / Salinity
- Dissolved Oxygen
- H_2S (gas)



EXAMPLE DATASET



EXAMPLE DATASET



WATERSAVR O&G™



a **ResEnTech** product

IN SUMMARY...

The automatic dispenser is a viable option for regularly adding WaterSavr O&G™ to water pits up to 5-acres

The system is can be upgraded for data acquisition